

---

## Grade 8 | New Jersey Student Learning Standards for Mathematics Correlation to *Eureka Math*<sup>®</sup>

### About *Eureka Math*

Created by Great Minds<sup>®</sup>, a mission-driven Public Benefit Corporation, *Eureka Math*<sup>®</sup> helps teachers deliver unparalleled math instruction that provides students with a deep understanding and fluency in math. Crafted by teachers and math scholars, the curriculum carefully sequences the mathematical progressions to maximize coherence from Prekindergarten through Precalculus—a principle tested and proven to be essential in students’ mastery of math.

Teachers and students using *Eureka Math* find the trademark “Aha!” moments in *Eureka Math* to be a source of joy and inspiration, lesson after lesson, year after year.

### Aligned

Great Minds offers detailed analyses that demonstrate how each grade of *Eureka Math* aligns with specific state standards. Access these free alignment studies at [greatminds.org/state-studies](https://greatminds.org/state-studies).

### Data

Schools and districts nationwide are experiencing student growth and impressive test scores after using *Eureka Math*. See their stories and data at [greatminds.org/data](https://greatminds.org/data).

### Full Suite of Resources

Great Minds offers the *Eureka Math* curriculum as PDF downloads for free, noncommercial use. Access the free PDFs at [greatminds.org/math/curriculum](https://greatminds.org/math/curriculum).

The teacher-writers who created the curriculum have also developed essential resources, available only from Great Minds, including the following:

- Printed material in English and Spanish
- Digital resources
- Professional development
- Classroom tools and manipulatives
- Teacher support materials
- Parent resources

Standards for Mathematical Practice	Aligned Components of <i>Eureka Math</i>									
<p><b>MP.1</b> Make sense of problems and persevere in solving them.</p>	<p>Lessons in every module engage students in mathematical practices. These are designated in the Module Overview and labeled in lessons.</p> <p>For example:</p>									
<p><b>MP.2</b> Reason abstractly and quantitatively.</p>	<p style="text-align: right;">Lesson 1 <b>8•5</b></p>									
<p><b>MP.3</b> Construct viable arguments and critique the reasoning of others.</p>	<ul style="list-style-type: none"> <li>▪ Let's make a prediction based on a value of <math>x</math> that is not listed in the table. How far did the stone drop in the first 3.5 seconds? What have we done in the past to figure something like this out?             <ul style="list-style-type: none"> <li>▫ We wrote a proportion using the known times and distances.</li> </ul> </li> </ul>									
<p><b>MP.4</b> Model with mathematics.</p>	<p>Allow students time to work with proportions. Encourage them to use more than one pair of data values to determine an answer. Some students might suggest they cannot use proportions for this work as they have just ascertained that there is not a constant rate of change. Acknowledge this. The work with proportions some students do will indeed confirm this.</p> <ul style="list-style-type: none"> <li>▫ <i>Sample student work:</i> Let <math>x</math> be the distance, in feet, the stone drops in 3.5 seconds.</li> </ul>									
<p><b>MP.5</b> Use appropriate tools strategically.</p>	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;"><math>\frac{16}{1} = \frac{x}{3.5}</math></td> <td style="text-align: center;"><math>\frac{64}{2} = \frac{x}{3.5}</math></td> <td style="text-align: center;"><math>\frac{144}{3} = \frac{x}{3.5}</math></td> </tr> <tr> <td style="text-align: center;"><math>x = 56</math></td> <td style="text-align: center;"><math>2x = 224</math></td> <td style="text-align: center;"><math>3x = 504</math></td> </tr> <tr> <td></td> <td style="text-align: center;"><math>x = 112</math></td> <td style="text-align: center;"><math>x = 168</math></td> </tr> </table>	$\frac{16}{1} = \frac{x}{3.5}$	$\frac{64}{2} = \frac{x}{3.5}$	$\frac{144}{3} = \frac{x}{3.5}$	$x = 56$	$2x = 224$	$3x = 504$		$x = 112$	$x = 168$
$\frac{16}{1} = \frac{x}{3.5}$	$\frac{64}{2} = \frac{x}{3.5}$	$\frac{144}{3} = \frac{x}{3.5}$								
$x = 56$	$2x = 224$	$3x = 504$								
	$x = 112$	$x = 168$								
<p><b>MP.6</b> Attend to precision.</p>	<p><b>MP.3</b></p> <ul style="list-style-type: none"> <li>▪ Is it reasonable that the stone would drop 56 feet in 3.5 seconds? Explain.             <ul style="list-style-type: none"> <li>▫ No, it is not reasonable. Our data shows that after 2 seconds, the stone has already dropped 64 feet. Therefore, it is impossible that it could have only dropped 56 feet in 3.5 seconds.</li> </ul> </li> </ul>									
<p><b>MP.7</b> Look for and make use of structure.</p>	<ul style="list-style-type: none"> <li>▪ What about 112 feet in 3.5 seconds? How reasonable is that answer? Explain.             <ul style="list-style-type: none"> <li>▫ The answer of 112 feet in 3.5 seconds is not reasonable either. The data shows that the stone dropped 144 feet in 3 seconds.</li> </ul> </li> </ul>									
<p><b>MP.8</b> Look for and express regularity in repeated reasoning.</p>	<ul style="list-style-type: none"> <li>▪ What about 168 feet in 3.5 seconds? What do you think about that answer? Explain.             <ul style="list-style-type: none"> <li>▫ That answer is the most likely because at least it is greater than the recorded 144 feet in 3 seconds.</li> </ul> </li> <li>▪ What makes you think that the work done with a third proportion will give us a correct answer when the first two did not? Can we rely on this method for determining an answer?             <ul style="list-style-type: none"> <li>▫ This does not seem to be a reliable method. If we had only done one computation and not evaluated the reasonableness of our answer, we would have been wrong.</li> </ul> </li> </ul>									

## The Number System

**8.NS.A** Know that there are numbers that are not rational, and approximate them by rational numbers.

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.NS.A.1</b></p> <p>Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually and convert a decimal expansion which repeats eventually into a rational number.</p>	<p>G8 M7 Topic B: Decimal Expansions of Numbers</p>
<p><b>8.NS.A.2</b></p> <p>Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., <math>\pi^2</math>).</p>	<p>G8 M7 Lesson 1: The Pythagorean Theorem</p> <p>G8 M7 Lesson 2: Square Roots</p> <p>G8 M7 Lesson 3: Existence and Uniqueness of Square Roots and Cube Roots</p> <p>G8 M7 Lesson 4: Simplifying Square Roots</p> <p>G8 M7 Lesson 11: The Decimal Expansion of Some Irrational Numbers</p> <p>G8 M7 Lesson 13: Comparing Irrational Numbers</p> <p>G8 M7 Lesson 14: Decimal Expansion of <math>\pi</math></p>

**New Jersey Student Learning Standards for Mathematics**

**Aligned Components of *Eureka Math***

<p><b>8.NS.A.3</b></p> <p>Understand that the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.</p>	<p>Algebra I M4 Lesson 13: Solving Quadratic Equations by Completing the Square</p>
---	---

**Expressions and Equations**

**8.EE.A Work with radicals and integer exponents.**

**New Jersey Student Learning Standards for Mathematics**

**Aligned Components of *Eureka Math***

<p><b>8.EE.A.1</b></p> <p>Know and apply the properties of integer exponents to generate equivalent numerical expressions.</p>	<p>G8 M1 Topic A: Exponential Notation and Properties of Integer Exponents</p>
<p><b>8.EE.A.2</b></p> <p>Use square root and cube root symbols to represent solutions to equations of the form <math>x^2 = p</math> and <math>x^3 = p</math>, where <math>p</math> is a positive rational number.</p>	<p><i>This standard is fully addressed by the lessons aligned to its subsections.</i></p>

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.EE.A.2.a</b></p> <p>Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that <math>\sqrt{2}</math> is irrational.</p>	<p>G8 M7 Lesson 2: Square Roots</p> <p>G8 M7 Lesson 5: Solving Equations with Radicals</p>
<p><b>8.EE.A.2.b</b></p> <p>Simplify numerical radicals, limiting to square roots (i.e., nonperfect squares).</p>	<p>G8 M7 Lesson 4: Simplifying Square Roots</p>
<p><b>8.EE.A.3</b></p> <p>Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other.</p>	<p>G8 M1 Lesson 7: Magnitude</p> <p>G8 M1 Lesson 8: Estimating Quantities</p> <p>G8 M1 Lesson 9: Scientific Notation</p> <p>G8 M1 Lesson 10: Operations with Numbers in Scientific Notation</p> <p>G8 M1 Lesson 11: Efficacy of Scientific Notation</p>
<p><b>8.EE.A.4</b></p> <p>Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology.</p>	<p>G8 M1 Lesson 9: Scientific Notation</p> <p>G8 M1 Lesson 10: Operations with Numbers in Scientific Notation</p> <p>G8 M1 Lesson 11: Efficacy of Scientific Notation</p> <p>G8 M1 Lesson 12: Choice of Unit</p> <p>G8 M1 Lesson 13: Comparison of Numbers Written in Scientific Notation and Interpreting Scientific Notation Using Technology</p>

**Expressions and Equations****8.EE.B Understand the connections between proportional relationships, lines, and linear equations.**

<b>New Jersey Student Learning Standards for Mathematics</b>	<b>Aligned Components of <i>Eureka Math</i></b>
<p><b>8.EE.B.5</b></p> <p>Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways.</p>	<p>G8 M4 Topic B: Linear Equations in Two Variables and Their Graphs</p> <p>G8 M4 Lesson 15: The Slope of a Non-Vertical Line</p> <p>G8 M4 Lesson 22: Constant Rates Revisited</p> <p>G8 M4 Lesson 24: Introduction to Simultaneous Equations</p>
<p><b>8.EE.B.6</b></p> <p>Use similar triangles to explain why the slope <math>m</math> is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation <math>y = mx</math> for a line through the origin and the equation <math>y = mx + b</math> for a line intercepting the vertical axis at <math>b</math>.</p>	<p>G8 M4 Lesson 16: The Computation of the Slope of a Non-Vertical Line</p> <p>G8 M4 Lesson 17: The Line Joining Two Distinct Points of the Graph <math>y = mx + b</math> Has Slope <math>m</math></p> <p>G8 M4 Lesson 18: There Is Only One Line Passing Through a Given Point with a Given Slope</p> <p>G8 M4 Lesson 19: The Graph of a Linear Equation in Two Variables Is a Line</p> <p>G8 M4 Lesson 20: Every Line Is a Graph of a Linear Equation</p> <p>G8 M4 Lesson 21: Some Facts About Graphs of a Linear Equation in Two Variables</p> <p>G8 M4 Lesson 22: Constant Rates Revisited</p> <p>G8 M4 Lesson 23: The Defining Equation of a Line</p>

## Expressions and Equations

### 8.EE.C Analyze and solve linear equations and pairs of simultaneous linear equations.

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.EE.C.7</b></p> <p>Solve linear equations in one variable.</p>	<p><i>This standard is fully addressed by the lessons aligned to its subsections.</i></p>
<p><b>8.EE.C.7.a</b></p> <p>Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form <math>x = a</math>, <math>a = a</math>, or <math>a = b</math> results (where <math>a</math> and <math>b</math> are different numbers).</p>	<p>G8 M4 Lesson 7: Classification of Solutions</p>
<p><b>8.EE.C.7.b</b></p> <p>Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.</p>	<p>G8 M4 Topic A: Writing and Solving Linear Equations</p>
<p><b>8.EE.C.8</b></p> <p>Analyze and solve pairs of simultaneous linear equations.</p>	<p><i>This standard is fully addressed by the lessons aligned to its subsections.</i></p>

**New Jersey Student Learning Standards for Mathematics**

**Aligned Components of *Eureka Math***

<p><b>8.EE.C.8.a</b></p> <p>Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.</p>	<p>G8 M4 Lesson 25: Geometric Interpretation of the Solutions of a Linear System</p>
<p><b>8.EE.C.8.b</b></p> <p>Solve systems of two linear equations in two variables using the substitution method and estimate solutions by graphing the equations. Solve simple cases by inspection.</p>	<p>G8 M4 Topic D: Systems of Linear Equations and Their Solutions</p> <p>G8 M4 Topic E: Pythagorean Theorem</p>
<p><b>8.EE.C.8.c</b></p> <p>Solve real-world and mathematical problems leading to two linear equations in two variables.</p>	<p>G8 M4 Lesson 24: Introduction to Simultaneous Equations</p> <p>G8 M4 Lesson 29: Word Problems</p> <p>G8 M4 Lesson 30: Conversion Between Celsius and Fahrenheit</p> <p>G8 M4 Topic E: Pythagorean Theorem</p>



## Functions

### 8.F.A Define, evaluate, and compare functions.

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.F.A.1</b></p> <p>Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.</p>	<p>G8 M5 Lesson 1: The Concept of a Function</p> <p>G8 M5 Lesson 2: Formal Definition of a Function</p> <p>G8 M5 Lesson 4: More Examples of Functions</p> <p>G8 M5 Lesson 5: Graphs of Functions and Equations</p> <p>G8 M5 Lesson 6: Graphs of Linear Functions and Rate of Change</p> <p>G8 M5 Lesson 8: Graphs of Simple Nonlinear Functions</p>
<p><b>8.F.A.2</b></p> <p>Compare properties (e.g., rate of change, intercepts, domain and range) of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).</p>	<p>G8 M5 Lesson 7: Comparing Linear Functions and Graphs</p>
<p><b>8.F.A.3</b></p> <p>Interpret the equation <math>y = mx + b</math> as defining a linear function, whose graph is a straight line; give examples of functions that are not linear.</p>	<p>G8 M5 Lesson 3: Linear Functions and Proportionality</p> <p>G8 M5 Lesson 5: Graphs of Functions and Equations</p> <p>G8 M5 Lesson 6: Graphs of Linear Functions and Rate of Change</p> <p>G8 M5 Lesson 7: Comparing Linear Functions and Graphs</p> <p>G8 M5 Lesson 8: Graphs of Simple Nonlinear Functions</p>

## Functions

### 8.F.B Use functions to model relationships between quantities.

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.F.B.4</b></p> <p>Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two <math>(x, y)</math> values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.</p>	<p>G8 M6 Lesson 1: Modeling Linear Relationships</p> <p>G8 M6 Lesson 2: Interpreting Rate of Change and Initial Value</p> <p>G8 M6 Lesson 3: Representations of a Line</p>
<p><b>8.F.B.5</b></p> <p>Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.</p>	<p>G8 M6 Lesson 2: Interpreting Rate of Change and Initial Value</p> <p>G8 M6 Lesson 3: Representations of a Line</p> <p>G8 M6 Lesson 4: Increasing and Decreasing Functions</p> <p>G8 M6 Lesson 5: Increasing and Decreasing Functions</p>

## Geometry

### 8.G.A Understand congruence and similarity using physical models, transparencies, or geometry software.

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.G.A.1</b></p> <p>Verify experimentally the properties of rotations, reflections, and translations:</p>	<p><i>This standard is fully addressed by the lessons aligned to its subsections.</i></p>
<p><b>8.G.A.1.a</b></p> <p>Lines are transformed to lines, and line segments to line segments of the same length.</p>	<p>G8 M2 Topic A: Definitions and Properties of the Basic Rigid Motions</p>
<p><b>8.G.A.1.b</b></p> <p>Angles are transformed to angles of the same measure.</p>	<p>G8 M2 Topic A: Definitions and Properties of the Basic Rigid Motions</p>
<p><b>8.G.A.1.c</b></p> <p>Parallel lines are transformed to parallel lines.</p>	<p>G8 M2 Topic A: Definitions and Properties of the Basic Rigid Motions</p>
<p><b>8.G.A.2</b></p> <p>Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.</p>	<p>G8 M2 Topic B: Sequencing the Basic Rigid Motions</p> <p>G8 M2 Lesson 11: Definition of Congruence and Some Basic Properties</p> <p>G8 M2 Lesson 12: Angles Associated with Parallel Lines</p>

## New Jersey Student Learning Standards for Mathematics

## Aligned Components of *Eureka Math*

<p><b>8.G.A.3</b></p> <p>Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.</p>	<p>G8 M3 Topic A: Dilation</p> <p>G8 M3 Lesson 8: Similarity</p>
<p><b>8.G.A.4</b></p> <p>Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.</p>	<p>G8 M3 Lesson 8: Similarity</p> <p>G8 M3 Lesson 9: Basic Properties of Similarity</p> <p>G8 M3 Lesson 11: More About Similar Triangles</p>
<p><b>8.G.A.5</b></p> <p>Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles.</p>	<p>G8 M2 Lesson 12: Angles Associated with Parallel Lines</p> <p>G8 M2 Lesson 13: Angle Sum of a Triangle</p> <p>G8 M2 Lesson 14: More on the Angles of a Triangle</p> <p>G8 M3 Lesson 10: Informal Proof of AA Criterion for Similarity</p> <p>G8 M3 Lesson 11: More About Similar Triangles</p> <p>G8 M3 Lesson 12: Modeling Using Similarity</p>

## Geometry

### 8.G.B Understand and apply the Pythagorean Theorem.

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.G.B.6</b></p> <p>Explain a proof of the Pythagorean Theorem and its converse.</p>	<p>G8 M2 Lesson 15: Informal Proof of the Pythagorean Theorem</p> <p>G8 M3 Topic C: The Pythagorean Theorem</p> <p>G8 M7 Lesson 15: Pythagorean Theorem, Revisited</p> <p>G8 M7 Lesson 16: Converse of the Pythagorean Theorem</p>
<p><b>8.G.B.7</b></p> <p>Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.</p>	<p>G8 M2 Topic D: The Pythagorean Theorem</p> <p>G8 M3 Topic C: The Pythagorean Theorem</p> <p>G8 M7 Lesson 1: The Pythagorean Theorem</p> <p>G8 M7 Lesson 4: Simplifying Square Roots</p> <p>G8 M7 Lesson 5: Solving Equations with Radicals</p> <p>G8 M7 Lesson 17: Distance on the Coordinate Plane</p> <p>G8 M7 Lesson 18: Applications of the Pythagorean Theorem</p> <p>G8 M7 Lesson 19: Cones and Spheres</p> <p>G8 M7 Lesson 23: Nonlinear Motion</p>
<p><b>8.G.B.8</b></p> <p>Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.</p>	<p>G8 M2 Lesson 16: Applications of the Pythagorean Theorem</p> <p>G8 M7 Lesson 17: Distance on the Coordinate Plane</p>

## Geometry

**8.G.C Solve real-world and mathematical problems involving volume of cylinders, cones, and spheres.**

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.G.C.9</b></p> <p>Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.</p>	<p>G8 M5 Topic B: Volume</p> <p>G8 M7 Lesson 19: Cones and Spheres</p> <p>G8 M7 Lesson 20: Truncated Cones</p> <p>G8 M7 Lesson 21: Volume of Composite Solids</p> <p>G8 M7 Lesson 22: Average Rate of Change</p>

## Statistics and Probability

**8.SP.A Investigate patterns of association in bivariate data.**

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.SP.A.1</b></p> <p>Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.</p>	<p>G8 M6 Lesson 6: Scatter Plots</p> <p>G8 M6 Lesson 7: Patterns in Scatter Plots</p> <p>G8 M6 Lesson 11: Using Linear Models in a Data Context</p> <p>G8 M6 Lesson 12: Nonlinear Models in a Data Context</p>

New Jersey Student Learning Standards for Mathematics	Aligned Components of <i>Eureka Math</i>
<p><b>8.SP.A.2</b></p> <p>Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit (e.g., line of best fit) by judging the closeness of the data points to the line.</p>	<p>G8 M6 Lesson 8: Informally Fitting a Line</p> <p>G8 M6 Lesson 9: Determining the Equation of a Line Fit to Data</p> <p>G8 M6 Lesson 11: Using Linear Models in a Data Context</p>
<p><b>8.SP.A.3</b></p> <p>Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept.</p>	<p>G8 M6 Topic C: Linear and Nonlinear Models</p>
<p><b>8.SP.A.4</b></p> <p>Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables.</p>	<p>G8 M6 Topic D: Bivariate Categorical Data</p>