# EUREKA MATH<sup>2</sup>.

#### Grade 9 | Idaho Mathematics Content Standards Correlation to Eureka Math<sup>2®</sup>

When the original *Eureka Math*<sup>®</sup> curriculum was released, it quickly became the most widely used K-5 mathematics curriculum in the country. Now, the Great Minds<sup>®</sup> teacher-writers have created *Eureka Math*<sup>2®</sup>, a groundbreaking new curriculum that helps teachers deliver exponentially better math instruction while still providing students with the same deep understanding of and fluency in math. *Eureka Math*<sup>2</sup> carefully sequences mathematical content to maximize vertical alignment-a principle tested and proven to be essential in students' mastery of math-from kindergarten through high school.

While this innovative new curriculum includes all the trademark *Eureka Math* and moments that have been delighting students and teachers for years, it also boasts these exciting new features:

#### Teachability

*Eureka Math*<sup>2</sup> employs streamlined materials that allow teachers to plan more efficiently and focus their energy on delivering highquality instruction that meets the individual needs of their students. Differentiation suggestions, slide decks, digital interactives, and multiple forms of assessment are just a few of the resources built right into the teacher materials.

#### Accessibility

*Eureka Math*<sup>2</sup> incorporates Universal Design for Learning principles so all learners can access the mathematics and take on challenging math concepts. Student supports are built into the instructional design and are clearly identified in the *Teach* book. Further, the curriculum carries a focus on readability. By eliminating unnecessary words and using simple, clear sentences, the *Eureka Math*<sup>2</sup> teacher-writers have created one of the most readable mathematics curricula on the market. The curriculum's readability and accessibility help all students see themselves as mathematical thinkers and doers who are fully capable of owning their mathematics learning.

#### **Digital Engagement**

The digital elements of *Eureka Math*<sup>2</sup> add to students' engagement with the math. The curriculum provides teachers with digital slides for each lesson. In addition, each grade level includes wordless videos that spark students' interest and curiosity. Students at all levels work through mathematical explorations that help lead to their own mathematical discoveries. Digital lessons and videos provide opportunities for students to wonder, explore, and make sense of mathematics, which contributes to the development of a strong, positive mathematical identity.

| Standards for Mathematical Practice                              | Aligned Components of Eureka Math <sup>2</sup>                     |
|--|--|
| <b>MP.1</b>  | Lessons in every module engage students in mathematical practices. |
| Make sense of problems and persevere in solving them.            | These are indicated in margin notes included with every lesson.    |
| MP.2   | Lessons in every module engage students in mathematical practices. |
| Reason abstractly and quantitatively.                            | These are indicated in margin notes included with every lesson.    |
| <b>MP.3</b>  | Lessons in every module engage students in mathematical practices. |
| Construct viable arguments and critique the reasoning of others. | These are indicated in margin notes included with every lesson.    |
| MP.4   | Lessons in every module engage students in mathematical practices. |
| Model with mathematics.  | These are indicated in margin notes included with every lesson.    |
| <b>MP.5</b>  | Lessons in every module engage students in mathematical practices. |
| Use appropriate tools strategically.                             | These are indicated in margin notes included with every lesson.    |
| MP.6   | Lessons in every module engage students in mathematical practices. |
| Attend to precision.   | These are indicated in margin notes included with every lesson.    |
| <b>MP.7</b>  | Lessons in every module engage students in mathematical practices. |
| Look for and make use of structure.                              | These are indicated in margin notes included with every lesson.    |
| MP.8   | Lessons in every module engage students in mathematical practices. |
| Look for and express regularity in repeated reasoning.           | These are indicated in margin notes included with every lesson.    |

#### Arithmetic with Polynomials and Rational Expressions

A.APR.A Perform arithmetic operations on polynomials.

#### Idaho Mathematics Content Standards

Aligned Components of Eureka Math<sup>2</sup>

| A.APR.A.1  | A1 M1 Lesson 3: Polynomial Expressions   |
|--|--|
| Demonstrate understanding that<br>polynomials form a system analogous<br>to the integers; namely, they are closed<br>under certain operations. | A1 M1 Lesson 4: Adding and Subtracting Polynomial Expressions<br>A1 M1 Lesson 5: Multiplying Polynomial Expressions<br>A1 M1 Lesson 6: Polynomial Identities |

#### **Creating Equations**

A.CED.A Create equations that describe numbers or relationships.

### Idaho Mathematics Content Aligned Components of *Eureka Math*<sup>2</sup>

| A.CED.A.1  | A1 M1 Lesson 7: Printing Presses  |
|--|---|
| Create one-variable equations and<br>inequalities to solve problems, including<br>linear, quadratic, rational, and<br>exponential functions. | A1 M1 Lesson 11: Writing and Solving Equations in One Variable              |
|  | A1 M1 Lesson 13: Solving Linear Inequalities in One Variable                |
|  | A1 M1 Lesson 15: Solving and Graphing Compound Inequalities                 |
|  | A1 M4 Lesson 9: Creating and Solving Quadratic Equations in One Variable    |
| A.CED.A.2  | This standard is fully addressed by the lessons aligned to its subsections. |
| Interpret the relationship between two or more quantities.   |   |

| Idaho Mathematics Content<br>Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>                           |
|---|---|
| A.CED.A.2.a   | A1 M2 Lesson 1: Solution Sets of Linear Equations in Two Variables              |
| Define variables to represent the quantities and write equations to                       | A1 M2 Lesson 2: Graphing Linear Equations in Two Variables                      |
|   | A1 M2 Lesson 3: Creating Linear Equations in Two Variables                      |
| show the relationship.  | A1 M2 Lesson 6: Applications of Linear Equations and Inequalities               |
|   | A1 M4 Lesson 11: Graphing Quadratic Functions from Factored Form                |
|   | A1 M4 Lesson 12: Using Symmetry to Graph Quadratic Functions from Standard Form |
|   | A1 M4 Lesson 23: Creating Equations of Quadratic Functions to Model Contexts    |
|   | A1 M4 Lesson 25: Maximizing Area  |
|   | A1 M4 Lesson 26: Modeling Data with Quadratic Functions                         |
|   | A1 M4 Lesson 27: Search and Rescue Helicopter                                   |
| A.CED.A.2.b   | A1 M2 Lesson 1: Solution Sets of Linear Equations in Two Variables              |
| Use graphs to show a visual   | A1 M2 Lesson 2: Graphing Linear Equations in Two Variables                      |
| representation of the relationship<br>while adhering to appropriate labels<br>and scales. | A1 M2 Lesson 3: Creating Linear Equations in Two Variables                      |
|   | A1 M2 Lesson 6: Applications of Linear Equations and Inequalities               |
|   | A1 M4 Lesson 11: Graphing Quadratic Functions from Factored Form                |
|   | A1 M4 Lesson 12: Using Symmetry to Graph Quadratic Functions from Standard Form |
|   | A1 M4 Lesson 23: Creating Equations of Quadratic Functions to Model Contexts    |
|   | A1 M4 Lesson 25: Maximizing Area  |
|   | A1 M4 Lesson 26: Modeling Data with Quadratic Functions                         |
|   | A1 M4 Lesson 27: Search and Rescue Helicopter                                   |

| Standards   | Aligned Components of <i>Eureka Math</i> <sup>2</sup>              |
|---|--|
| A.CED.A.3   | A1 M1 Lesson 11: Writing and Solving Equations in One Variable     |
| Represent constraints using equations<br>or inequalities and interpret solutions<br>as viable or non-viable options in a<br>modeling context. | A1 M1 Lesson 14: Solution Sets of Compound Statements              |
|   | A1 M1 Lesson 15: Solving and Graphing Compound Inequalities        |
|   | A1 M2 Lesson 1: Solution Sets of Linear Equations in Two Variables |
|   | A1 M2 Lesson 6: Applications of Linear Equations and Inequalities  |
|   | A1 M6 Lesson 5: Solar System Models                                |
| A.CED.A.5   | A1 M1 Lesson 12: Rearranging Formulas                              |
| Rearrange formulas to highlight a<br>quantity of interest, using the same<br>reasoning as in solving equations.                               | A1 M4 Lesson 13: Using Square Roots to Solve Quadratic Equations   |

### **Reasoning with Equations and Inequalities**

A.REI.A Understand solving equations as a process of reasoning and explain the reasoning.

| Idaho Mathematics Content<br>Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>  |
|---|--|
| A.REI.A.1   | A1 M1 Lesson 9: Solving Linear Equations in One Variable   |
| Explain each step in solving a simple<br>equation as following from the equality<br>of numbers asserted at the previous<br>step, starting from the assumption that<br>the original equation has a solution.<br>Construct a viable argument to justify<br>or refute a solution method. | A1 M1 Lesson 10: Some Potential Dangers When Solving Equations<br>A1 M1 Lesson 11: Writing and Solving Equations in One Variable |

#### **Reasoning with Equations and Inequalities**

A.REI.B Solve equations and inequalities in one variable.

#### Idaho Mathematics Content Standards

#### Aligned Components of Eureka Math<sup>2</sup>

| A1 M1 Lesson 7: Printing Presses   |
|--|
| A1 M1 Lesson 8: Solution Sets for Equations and Inequalities in One Variable |
| A1 M1 Lesson 9: Solving Linear Equations in One Variable                     |
| A1 M1 Lesson 10: Some Potential Dangers When Solving Equations               |
| A1 M1 Lesson 11: Writing and Solving Equations in One Variable               |
| A1 M1 Lesson 13: Solving Linear Inequalities in One Variable                 |
| A1 M1 Lesson 15: Solving and Graphing Compound Inequalities                  |
| A1 M1 Lesson 16: Solving Absolute Value Equations                            |
| A1 M1 Lesson 17: Solving Absolute Value Inequalities                         |
| This standard is fully addressed by the lessons aligned to its subsections.  |
|  |
| A1 M4 Lesson 14: Solving Quadratic Equations by Completing the Square        |
| A1 M4 Lesson 15: Deriving the Quadratic Formula                              |
|  |

| Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>                                    |
|--|--|
| A.REI.B.4.b  | A1 M4 Lesson 5: Solving Equations That Contain Factored Expressions                      |
| Solve quadratic equations by inspection  | A1 M4 Lesson 6: Solving Quadratic Equations by Factoring: Identities and Guess and Check |
| (e.g., for $x^2 = 49$ ), taking square roots,<br>completing the square, the quadratic                                    | A1 M4 Lesson 7: Solving Quadratic Equations by Factoring: Splitting the Linear Term      |
| formula, and factoring, as appropriate   | A1 M4 Lesson 8: A Summary of Solving Quadratic Equations by Factoring                    |
| to the initial form of the equation.   | A1 M4 Lesson 9: Creating and Solving Quadratic Equations in One Variable                 |
| Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers $a$ and $b$ . | A1 M4 Lesson 13: Using Square Roots to Solve Quadratic Equations                         |
|  | A1 M4 Lesson 14: Solving Quadratic Equations by Completing the Square                    |
|  | A1 M4 Lesson 15: Deriving the Quadratic Formula  |
|  | A1 M4 Lesson 16: Solving Quadratic Equations   |
|  | A1 M4 Lesson 18: The Quadratic Formula and Zeros of a Function                           |

#### Reasoning with Equations and Inequalities

A.REI.C Solve systems of equations.

| Idaho Mathematics Content<br>Standards   | Aligned Components of Eureka Math <sup>2</sup> |
|--|--|
| A.REI.C.5  | A1 M2 Lesson 9: A New Way to Solve Systems     |
| Verify that, given a system of two<br>equations in two variables, replacing one<br>equation by the sum of that equation and<br>a multiple of the other produces a system<br>with the same solutions. |  |

| Standards   | Aligned Components of <i>Eureka Math</i> <sup>2</sup>        |
|---|--|
| A.REI.C.6   | A1 M2 Lesson 7: Low-Flow Showerhead                          |
| Solve systems of linear equations exactly<br>and approximately (e.g., with graphs),<br>focusing on pairs of linear equations<br>in two variables. | A1 M2 Lesson 8: Systems of Linear Equations in Two Variables |
|   | A1 M2 Lesson 9: A New Way to Solve Systems                   |
|   | A1 M2 Lesson 10: The Elimination Method                      |
|   | A1 M2 Lesson 11: Applications of Systems of Equations        |
| A.REI.C.7   | A1 M4 Lesson 24: Another Look at Systems of Equations        |
| Solve a simple system consisting of a   |  |
| linear equation and a quadratic equation  |  |
| in two variables algebraically and graphically.   |  |

#### A 11. .... .

#### **Reasoning with Equations and Inequalities**

#### A.REI.D Represent and solve equations and inequalities graphically.

| Idaho Mathematics Content<br>Standards   | Aligned Components of <i>Eureka Math</i> <sup>2</sup>              |
|--|--|
| A.REI.D.10   | A1 M2 Lesson 1: Solution Sets of Linear Equations in Two Variables |
| Demonstrate understanding that the<br>graph of an equation in two variables<br>is the set of all its solutions plotted in the<br>coordinate plane. Show that any point<br>on the graph of an equation in two<br>variables is a solution to the equation. | A1 M2 Lesson 2: Graphing Linear Equations in Two Variables         |

| Standards  | Aligned Components of Eureka Math <sup>2</sup>  |
|--|---|
| A.REI.D.11   | A1 M3 Lesson 10: Using Graphs to Solve Equations  |
| Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ ; find the solutions approximately. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions. | A1 M3 Lesson 15: The Absolute Value Function<br>A1 M4 Lesson 24: Another Look at Systems of Equations<br>A1 M5 Lesson 13: Using Transformations to Graph Exponential Functions (Bases Between 0 and 1)<br>A1 M5 Lesson 20: Comparing Growth of Functions  |
| A.REI.D.12<br>Graph the solutions to a linear inequality<br>in two variables as a half-plane<br>(excluding the boundary in the case of a<br>strict inequality), and graph the solution<br>set to a system of linear inequalities<br>in two variables as the intersection of the<br>corresponding half-planes.                            | A1 M2 Lesson 4: Solution Sets of Linear Inequalities in Two Variables<br>A1 M2 Lesson 5: Graphing Linear Inequalities in Two Variables<br>A1 M2 Lesson 12: Solution Sets of Systems of Linear Inequalities<br>A1 M2 Lesson 13: Graphing Solution Sets of Systems of Linear Inequalities<br>A1 M2 Lesson 14: Applications of Systems of Linear Inequalities<br>A1 M6 Lesson 5: Solar System Models |

#### Idaho Mathematics Content Standards

#### Aligned Components of Eureka Math<sup>2</sup>

#### Seeing Structure in Expressions

A.SSE.A Interpret the structure of linear, quadratic, exponential, polynomial, and rational expressions.

| Idaho Mathematics Content<br>Standards                                   | Aligned Components of <i>Eureka Math</i> <sup>2</sup>                       |
|--|---|
| A.SSE.A.1  | This standard is fully addressed by the lessons aligned to its subsections. |
| Interpret expressions that represent a quantity in terms of its context. |   |

#### Idaho Mathematics Content Standards

#### Aligned Components of Eureka Math<sup>2</sup>

| A.SSE.A.1.a   | A1 M4 Lesson 3: Analyzing Functions That Model Projectile Motion                             |
|---|--|
| Interpret parts of an expression, such as terms, factors, and coefficients. |  |
| A.SSE.A.1.b   | A1 M5 Lesson 8: Exponential Functions  |
| Interpret complicated expressions by  | A1 M5 Lesson 16: Exponential Growth  |
| viewing one or more of their parts as a single entity.                      | A1 M5 Lesson 17: Exponential Decay   |
| single entity.  | A1 M5 Lesson 18: Modeling Populations  |
|   | A1 M5 Lesson 23: Modeling the Temperature of Objects Cooling Over Time                       |
| A.SSE.A.2   | A1 M1 Lesson 1: The Growing Pattern of Ducks   |
| Use the structure of an expression  | A1 M1 Lesson 2: The Commutative, Associative, and Distributive Properties                    |
| to identify ways to rewrite it.   | A1 M1 Lesson 3: Polynomial Expressions   |
|   | A1 M4 Lesson 3: Analyzing Functions That Model Projectile Motion                             |
|   | A1 M4 Topic B: Factoring   |
|   | A1 M4 Lesson 14: Solving Quadratic Equations by Completing the Square                        |
|   | A1 M4 Lesson 15: Deriving the Quadratic Formula  |
|   | A1 M5 Lesson 11: Graphing Exponential Functions  |
|   | A1 M5 Lesson 12: Using Transformations to Graph Exponential Functions (Bases Greater Than 1) |
|   | A1 M5 Lesson 18: Modeling Populations  |

9 | Idaho Mathematics Content Standards Correlation to Eureka Math<sup>2</sup>

#### Seeing Structure in Expressions

A.SSE.B Write expressions in equivalent forms to solve problems.

| Idaho Mathematics Content<br>Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>  |
|---|--|
| A.SSE.B.3   | This standard is fully addressed by the lessons aligned to its subsections.                  |
| Choose and produce an equivalent form<br>of an expression to reveal and explain<br>properties of the quantity represented<br>by the expression. |  |
| A.SSE.B.3.a   | A1 M4 Lesson 10: Zeros of Functions  |
| Factor a quadratic expression to reveal   | A1 M4 Lesson 11: Graphing Quadratic Functions from Factored Form                             |
| the zeros of the function it defines.   | A1 M4 Lesson 22: A Summary of Graphing Quadratic Functions                                   |
| A.SSE.B.3.b   | A1 M4 Lesson 21: Completing the Square to Graph Quadratic Functions                          |
| Complete the square in a quadratic<br>expression to reveal the maximum<br>or minimum value of the function<br>it defines.                       | A1 M4 Lesson 22: A Summary of Graphing Quadratic Functions                                   |
| A.SSE.B.3.c   | A1 M5 Lesson 11: Graphing Exponential Functions  |
| Use the properties of exponents to  | A1 M5 Lesson 12: Using Transformations to Graph Exponential Functions (Bases Greater Than 1) |
| transform expressions for exponential functions.  | A1 M5 Lesson 18: Modeling Populations  |

#### **Building Functions**

F.BF.A Build a function that models a relationship between two quantities.

| Idaho Mathematics Content<br>Standards | Aligned Components of Eureka Math <sup>2</sup> |
|--|--|
|  |  |

| <b>F.BF.A.1</b><br>Write a function that describes a<br>relationship between two quantities.<br>Functions could include linear,<br>exponential, quadratic, simple rational,<br>radical, logarithmic, and trigonometric. | A1 M6 Lesson 5: Solar System Models  |
|---|--|
| <b>F.BF.A.1.a</b><br>Determine an explicit expression,<br>a recursive process, or steps for<br>calculation from a context.  | A1 M3 Lesson 17: Piecewise Linear Functions in Context<br>A1 M4 Lesson 23: Creating Equations of Quadratic Functions to Model Contexts<br>A1 M4 Lesson 25: Maximizing Area<br>A1 M4 Lesson 26: Modeling Data with Quadratic Functions<br>A1 M4 Lesson 27: Search and Rescue Helicopter<br>A1 M5 Topic A: Arithmetic and Geometric Sequences<br>A1 M5 Lesson 8: Exponential Functions<br>A1 M5 Lesson 15: Calculating Interest<br>A1 M6 Topic B: Developing Models for Contexts |
| <b>F.BF.A.1.b</b><br>Combine standard function types using<br>arithmetic operations.  | A1 M6 Lesson 4: The Deal<br>A1 M6 Lesson 6: Designing a Fundraiser<br>A1 M6 Lesson 7: World Record Doughnut  |

| Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>  |
|--|--|
| F.BF.A.2   | A1 M5 Lesson 5: Arithmetic and Geometric Sequences   |
| Write arithmetic and geometric<br>sequences both recursively and with<br>an explicit formula, use them to model<br>situations, and translate between the<br>two forms. | A1 M5 Lesson 6: Representations of Arithmetic and Geometric Sequences<br>A1 M5 Lesson 7: Sierpinski Triangle |

#### **Building Functions**

#### F.BF.B Build new functions from existing functions.

| Idaho Mathematics Content<br>Standards   | Aligned Components of Eureka Math <sup>2</sup>   |
|--|--|
| F.BF.B.3   | A1 M3 Topic D: Transformations of Functions  |
| Identify the effect on the graph of<br>replacing $f(x)$ by $f(x) + k$ , $kf(x)$ , $f(kx)$ ,<br>and $f(x + k)$ for specific values of $k$<br>(both positive and negative); find the<br>value of $k$ given the graphs. Include,<br>linear, quadratic, exponential, absolute<br>value, simple rational and radical,<br>logarithmic, and trigonometric functions.<br>Utilize technology to experiment with<br>cases and illustrate an explanation of the<br>effects on the graph. Include recognizing<br>even and odd functions from their graphs<br>and algebraic expressions for them. | A1 M4 Lesson 20: Art with Transformations<br>A1 M5 Lesson 12: Using Transformations to Graph Exponential Functions (Bases Greater Than 1)<br>A1 M5 Lesson 13: Using Transformations to Graph Exponential Functions (Bases Between 0 and 1)<br>A1 M5 Lesson 14: Writing Equations for Exponential Functions from Tables or Graphs<br>A1 M5 Lesson 23: Modeling the Temperature of Objects Cooling Over Time |

#### Interpreting Functions

F.IF.A Understand the concept of a function and use function notation.

| Idaho Mathematics Content<br>Standards   | Aligned Components of Eureka Math <sup>2</sup>                 |
|--|--|
| F.IF.A.1   | A1 M3 Topic A: Functions and Their Graphs                      |
| Demonstrate understanding that a<br>function is a correspondence from one<br>set (called the domain) to another set<br>(called the range) that assigns to each<br>element of the domain exactly one<br>element of the range: If $f$ is a function<br>and $x$ is an element of its domain, then<br>f(x) denotes the output of $f$ corresponding<br>to the input $x$ . The graph of $f$ is the graph<br>of the equation $y = f(x)$ . |  |
| F.IF.A.2   | A1 M3 Lesson 1: The Definition of a Function                   |
| Use function notation, evaluate functions  | A1 M3 Lesson 2: Representing, Naming, and Evaluating Functions |
| for inputs in their domains, and interpret<br>statements that use function notation<br>in terms of a context.  | A1 M3 Lesson 6: Representations of Functions                   |
|  | A1 M3 Lesson 16: Step Functions                                |
|  | A1 M5 Lesson 1: Exploring Patterns                             |
|  | A1 M5 Lesson 2: The Recursive Challenge                        |
|  | A1 M5 Lesson 3: Recursive Formulas for Sequences               |
|  | A1 M5 Lesson 4: Explicit Formulas for Sequences                |
|  | A1 M5 Lesson 7: Sierpinski Triangle                            |

| Standards  |   |
|--|---|
| F.IF.A.3   | A1 M5 Lesson 1: Exploring Patterns                                    |
| Demonstrate that a sequence is a   | A1 M5 Lesson 2: The Recursive Challenge                               |
| functions, sometimes defined recursively,<br>whose domain is a subset of the integers. | A1 M5 Lesson 3: Recursive Formulas for Sequences                      |
|  | A1 M5 Lesson 4: Explicit Formulas for Sequences                       |
|  | A1 M5 Lesson 5: Arithmetic and Geometric Sequences                    |
|  | A1 M5 Lesson 6: Representations of Arithmetic and Geometric Sequences |
|  |   |

Aligned Components of Eureka Math<sup>2</sup>

#### Idaho Mathematics Content Standards

#### **Interpreting Functions**

F.IF.B Interpret functions that arise in applications in terms of the context. Include linear, quadratic, exponential, rational, polynomial, square root and cube root, trigonometric, and logarithmic functions.

| Idaho Mathematics Content<br>Standards | Aligned Components of Eureka Math <sup>2</sup> |
|--|--|
|  |  |

| F.IF.B.4   | A1 M3 Lesson 7: Exploring Key Features of a Function and Its Graph  |
|--|---|
| F.IF.B.4<br>For a function that models a relationship<br>between two quantities, interpret key<br>features of graphs and tables in terms<br>of the quantities, and sketch graphs<br>showing key features given a verbal<br>description of the relationship. Key<br>features include: intercepts; intervals<br>where the function is increasing,<br>decreasing, positive, or negative; relative<br>maxima and minima; symmetries; end<br>behavior; and periodicity. | Al M3 Lesson 7: Exploring Key Features of a Function and its Graph<br>A1 M3 Lesson 8: Identifying Key Features of a Function and Its Graph<br>A1 M3 Lesson 9: Representing Functions from Verbal Descriptions<br>A1 M3 Lesson 11: Comparing Functions<br>A1 M3 Lesson 12: Mars Curiosity Rover<br>A1 M3 Lesson 12: Mars Curiosity Rover<br>A1 M3 Lesson 13: Modeling Elevation as a Function of Time<br>A1 M4 Lesson 11: Falling Objects<br>A1 M4 Lesson 2: Projectile Motion<br>A1 M4 Lesson 3: Analyzing Functions That Model Projectile Motion<br>A1 M4 Lesson 11: Graphing Quadratic Functions from Factored Form<br>A1 M4 Lesson 12: Using Symmetry to Graph Quadratic Functions from Standard Form<br>A1 M4 Lesson 21: Completing the Square to Graph Quadratic Functions |
|  | Armin Lesson 21. completing the equale to ordph Quadratic runctions   |

| Idaho Mathematics Content<br>Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>   |
|---|---|
| F.IF.B.4 continued  | A1 M4 Lesson 23: Creating Equations of Quadratic Functions to Model Contexts<br>A1 M4 Lesson 25: Maximizing Area  |
| <b>F.IF.B.5</b><br>Relate the domain of a function to its<br>graph and, where applicable, to the<br>quantitative relationship it describes.   | A1 M3 Lesson 3: The Graph of a Function<br>A1 M3 Lesson 13: Modeling Elevation as a Function of Time<br>A1 M3 Lesson 16: Step Functions<br>A1 M4 Lesson 2: Projectile Motion<br>A1 M4 Lesson 3: Analyzing Functions That Model Projectile Motion<br>A1 M4 Lesson 23: Creating Equations of Quadratic Functions to Model Contexts                      |
| <b>F.IF.B.6</b><br>Calculate and interpret the average<br>rate of change of a function (presented<br>symbolically or as a table) over a<br>specified interval. Estimate the rate<br>of change from a graph. | A1 M4 Lesson 1: Falling Objects<br>A1 M4 Lesson 3: Analyzing Functions That Model Projectile Motion<br>A1 M4 Lesson 12: Using Symmetry to Graph Quadratic Functions from Standard Form<br>A1 M5 Lesson 19: Analyzing Exponential Growth<br>A1 M5 Lesson 20: Comparing Growth of Functions<br>A1 M5 Lesson 24: Modeling an Invasive Species Population |

#### **Interpreting Functions**

F.IF.C Analyze functions using different representations.

| Idaho Mathematics Content<br>Standards  | Aligned Components of Eureka Math <sup>2</sup>                              |
|---|---|
| F.IF.C.7  | This standard is fully addressed by the lessons aligned to its subsections. |
| Graph functions expressed symbolically<br>and show key features of the graphs,<br>by hand in simple cases and using<br>technology for more complicated cases. |   |

| Idaho Mathematics Content<br>Standards   | Aligned Components of <i>Eureka Math</i> <sup>2</sup>  |
|--|--|
| F.IF.C.7.a   | A1 M3 Lesson 4: The Graph of the Equation $y = f(x)$   |
| Graph linear and quadratic functions and   | A1 M3 Lesson 5: Using Pseudocode to Compare Graphs of Functions and Graphs of Equations            |
| show intercepts, maxima, and minima.   | A1 M3 Lesson 6: Representations of Functions   |
|  | A1 M4 Lesson 4: Graphs of Quadratic Functions  |
|  | A1 M4 Lesson 11: Graphing Quadratic Functions from Factored Form                                   |
|  | A1 M4 Lesson 12: Using Symmetry to Graph Quadratic Functions from Standard Form                    |
|  | A1 M4 Lesson 19: Transforming the Graphs of Quadratic Functions                                    |
|  | A1 M4 Lesson 23: Creating Equations of Quadratic Functions to Model Contexts                       |
| F.IF.C.7.b   | A1 M3 Topic C: Piecewise-Defined Linear Functions  |
| Graph square root, cube root, and  | A1 M3 Lesson 19: Building New Functions—Translations   |
| piecewise-defined functions, including<br>step functions and absolute value<br>functions.  | A1 M3 Lesson 23: A Summary of Transforming the Graph of a Function                                 |
| F.IF.C.7.e   | A1 M5 Lesson 11: Graphing Exponential Functions  |
| Graph exponential and logarithmic  | A1 M5 Lesson 12: Using Transformations to Graph Exponential Functions (Bases Greater Than 1)       |
| functions, showing intercepts and end<br>behavior, and trigonometric functions,<br>showing period, midline, and amplitude.                       | A1 M5 Lesson 13: Using Transformations to Graph Exponential Functions (Bases Between $0$ and $1$ ) |
| F.IF.C.8   | This standard is fully addressed by the lessons aligned to its subsections.                        |
| Write a function defined by an expression<br>in different but equivalent forms to<br>reveal and explain different properties<br>of the function. |  |

| Idaho Mathematics Content<br>Standards   | Aligned Components of Eureka Math <sup>2</sup>   |
|--|--|
| F.IF.C.8.a<br>Use the process of factoring and/or<br>completing the square in quadratic and<br>polynomial functions, where appropriate,<br>to show zeros, extreme values, and<br>symmetry of the graph, and interpret<br>these in terms of a context.                      | A1 M4 Lesson 10: Zeros of Functions<br>A1 M4 Lesson 11: Graphing Quadratic Functions from Factored Form<br>A1 M4 Lesson 22: A Summary of Graphing Quadratic Functions                          |
| F.IF.C.8.b<br>Use the properties of exponents to<br>interpret expressions for exponential<br>functions. Apply to financial situations<br>such as identifying appreciation and<br>depreciation rate for the value of a house<br>or car sometime after its initial purchase. | A1 M5 Lesson 11: Graphing Exponential Functions<br>A1 M5 Lesson 12: Using Transformations to Graph Exponential Functions (Bases Greater Than 1)<br>A1 M5 Lesson 18: Modeling Populations       |
| <b>F.IF.C.9</b><br>Compare properties of two functions<br>each represented in a different way<br>(algebraically, graphically, numerically<br>in tables, or by verbal descriptions).  | A1 M3 Lesson 11: Comparing Functions<br>A1 M4 Lesson 12: Using Symmetry to Graph Quadratic Functions from Standard Form<br>A1 M4 Lesson 21: Completing the Square to Graph Quadratic Functions |

#### Linear, Quadratic, and Exponential Models

F.LE.A Construct and compare linear, quadratic, and exponential models and solve problems.

| Idaho Mathematics Content<br>Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>    |
|---|--|
| F.LE.A.1  | A1 M5 Lesson 15: Calculating Interest                    |
| Distinguish between situations that can   | A1 M5 Lesson 18: Modeling Populations                    |
| be modeled with linear functions and with exponential functions.  | A1 M5 Lesson 21: World Population Prediction             |
|   | A1 M5 Lesson 22: A Closer Look at Populations            |
|   | A1 M5 Lesson 24: Modeling an Invasive Species Population |
|   | A1 M6 Topic A: Modeling Bivariate Quantitative Data      |
| F.LE.A.1.a  | A1 M5 Lesson 19: Analyzing Exponential Growth            |
| Demonstrate that linear functions grow<br>by equal differences over equal intervals,<br>and that exponential functions grow<br>by equal factors over equal intervals. |  |
| F.LE.A.1.b  | A1 M5 Lesson 15: Calculating Interest                    |
| Identify situations in which one quantity   | A1 M5 Lesson 18: Modeling Populations                    |
| changes at a constant rate per unit interval relative to another.   | A1 M5 Lesson 21: World Population Prediction             |
| interval relative to another.   | A1 M5 Lesson 22: A Closer Look at Populations            |
|   | A1 M5 Lesson 24: Modeling an Invasive Species Population |
| F.LE.A.1.c  | A1 M5 Lesson 15: Calculating Interest                    |
| Identify situations in which a quantity   | A1 M5 Lesson 18: Modeling Populations                    |
| grows or decays by a constant percent   | A1 M5 Lesson 21: World Population Prediction             |
| rate per unit interval relative to another.   | A1 M5 Lesson 22: A Closer Look at Populations            |
|   | A1 M5 Lesson 24: Modeling an Invasive Species Population |

| Idaho Mathematics Content<br>Standards   | Aligned Components of <i>Eureka Math</i> <sup>2</sup>  |
|--|--|
| F.LE.A.2   | A1 M5 Lesson 8: Exponential Functions  |
| Construct linear and exponential<br>functions, including arithmetic and<br>geometric sequences, given a graph,<br>a description of a relationship, or two<br>input-output pairs (including reading<br>these from a table).   | A1 M5 Lesson 14: Writing Equations for Exponential Functions from Tables or Graphs<br>A1 M5 Lesson 16: Exponential Growth<br>A1 M5 Lesson 17: Exponential Decay<br>A1 M5 Topic D: Comparing Linear and Exponential Models<br>A1 M6 Topic B: Developing Models for Contexts |
| <b>F.LE.A.3</b><br>Use graphs and tables to demonstrate<br>that a quantity increasing exponentially<br>eventually exceeds a quantity increasing<br>linearly, quadratically, or (more generally)<br>as a polynomial function. | A1 M5 Lesson 20: Comparing Growth of Functions   |

#### Linear, Quadratic, and Exponential Models

F.LE.B Interpret expressions for functions in terms of the situation they model.

| Idaho Mathematics Content<br>Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>   |
|---|---|
| F.LE.B.5  | A1 M5 Lesson 18: Modeling Populations   |
| Interpret the parameters in a linear<br>or exponential function (of the form<br>$f(x) = b^x + k$ ) in terms of a context. | A1 M5 Lesson 19: Analyzing Exponential Growth<br>A1 M5 Lesson 23: Modeling the Temperature of Objects Cooling Over Time<br>A1 M5 Lesson 24: Modeling an Invasive Species Population |

9 | Idaho Mathematics Content Standards Correlation to Eureka Math<sup>2</sup>

#### Quantities

N.Q.A Reason quantitatively and use units to solve problems.

| Idaho Mathematics Content<br>Standards | Aligned Components of Eureka Math <sup>2</sup> |
|--|--|
|  |  |

| N.Q.A.1  | A1 M6 Lesson 5: Solar System Models |
|--|-------------------------------------|
| Use units as a way to understand<br>problems and to guide the solution<br>of multi-step problems; choose and<br>interpret units consistently in formulas;<br>choose and interpret the scale and the<br>origin in graphs and data displays. |                                     |
| N.Q.A.2  | A1 M4 Lesson 25: Maximizing Area    |
| Define appropriate quantities for the purpose of descriptive modeling.   | A1 M6 Lesson 5: Solar System Models |
| N.Q.A.3  | A1 M6 Lesson 5: Solar System Models |
| Choose a level of accuracy appropriate<br>to limitations on measurement when<br>reporting quantities.  |                                     |

#### **The Real Number System**

N.RN.A Extend the properties of exponents to rational exponents.

## Idaho Mathematics Content Aligned Components of Eureka Math<sup>2</sup> Standards Aligned Components of Eureka Math<sup>2</sup>

| N.RN.A.1  | A1 M5 Lesson 9: Unit Fraction Exponents |
|---|---|
| Explain how the definition of the<br>meaning of rational exponents follows<br>from extending the properties of integer<br>exponents to those values, allowing for<br>a notation for radicals in terms of rational<br>exponents. | A1 M5 Lesson 10: Rational Exponents     |
| N.RN.A.2  | A1 M5 Lesson 9: Unit Fraction Exponents |
| Rewrite expressions involving radicals and rational exponents using the properties of exponents.  | A1 M5 Lesson 10: Rational Exponents     |

#### **The Real Number System**

N.RN.B Use properties of rational and irrational numbers.

| Idaho Mathematics Content<br>Standards   | Aligned Components of <i>Eureka Math</i> <sup>2</sup>            |
|--|--|
| N.RN.B.3   | A1 M4 Lesson 13: Using Square Roots to Solve Quadratic Equations |
| Explain why the sum or product of two<br>rational numbers is rational; why the sum<br>of a rational number and an irrational<br>number is irrational; and why the product<br>of a nonzero rational number and<br>an irrational number is irrational. | A1 M4 Lesson 17: Rewriting Square Roots                          |

9 | Idaho Mathematics Content Standards Correlation to Eureka Math<sup>2</sup>

#### Interpreting Categorial and Quantitative Data

S.ID.A Summarize, represent, and interpret data on a single count or measurement variable. Use calculators, spreadsheets, and other technology as appropriate.

#### Idaho Mathematics Content Standards

#### Aligned Components of Eureka Math<sup>2</sup>

| <b>S.ID.A.2</b><br>Represent measurement data with plots<br>on the real number line (dot plots,<br>histograms, and box plots).  | A1 M1 Lesson 18: Distributions and Their Shapes<br>A1 M1 Lesson 19: Describing the Center of a Distribution<br>A1 M1 Lesson 20: Using Center to Compare Data Distributions |
|---|--|
| <b>S.ID.A.3</b><br>Compare center (median, mean) and<br>spread (interquartile range, standard<br>deviation) of two or more different<br>variables, using statistics appropriate<br>to the shape of the distribution for each<br>measurement variable. | A1 M1 Topic D: Univariate Data   |
| <b>S.ID.A.4</b><br>Interpret differences in shape, center,<br>and spread in the context of the variables<br>accounting for possible effects of extreme<br>data points (outliers) for measurement<br>variables.  | A1 M1 Topic D: Univariate Data   |

#### Interpreting Categorial and Quantitative Data

S.ID.B Summarize, represent, and interpret data on two categorical and quantitative variables.

| Idaho Mathematics Content<br>Standards  | Aligned Components of <i>Eureka Math</i> <sup>2</sup>                        |
|---|--|
| S.ID.B.6  | A1 M2 Topic D: Categorical Data on Two Variables                             |
| Represent data on two categorical<br>variables on a clustered bar chart and<br>describe how the variables are related.<br>Summarize categorical data for two<br>categories in two-way frequency<br>tables. Interpret relative frequencies<br>in the context of the data (including<br>joint, marginal, and conditional relative<br>frequencies). Recognize possible<br>associations and trends in the data. |  |
| S.ID.B.7  | A1 M2 Lesson 15: Relationships Between Quantitative Variables                |
| Represent data on two quantitative<br>variables on a scatter plot, and describe<br>how the variables are related.   | A1 M2 Lesson 21: Analyzing Bivariate Quantitative Data                       |
| S.ID.B.7.a  | A1 M2 Lesson 16: Using Lines to Model Bivariate Quantitative Data            |
| Fit a linear function to data where   | A1 M2 Lesson 17: Modeling Relationships with a Line                          |
| a scatter plot suggests a linear<br>relationship and use the fitted function<br>to solve problems in the context<br>of the data.  | A1 M2 Lesson 18: Calculating and Analyzing Residuals                         |
|   | A1 M2 Lesson 20: Interpreting Correlation                                    |
|   | A1 M4 Lesson 23: Creating Equations of Quadratic Functions to Model Contexts |
|   | A1 M4 Lesson 26: Modeling Data with Quadratic Functions                      |
|   | A1 M4 Lesson 27: Search and Rescue Helicopter                                |
|   | A1 M6 Topic A: Modeling Bivariate Quantitative Data                          |

| Standards  |  | Aligned Components of <i>Eureka Math</i> <sup>2</sup> |
|--|--|---|
| S.ID.B.7.c   |  | A1 M2 Lesson 18: Calculating and Analyzing Residuals  |
| Informally assess the fit of a function by plotting and analyzing residuals. |  | A1 M2 Lesson 19: Analyzing Residuals                  |
| ······································                                       |  | A1 M6 Topic A: Modeling Bivariate Quantitative Data   |

#### Interpreting Categorial and Quantitative Data

S.ID.C Interpret linear models.

| Idaho Mathematics Content<br>Standards   | Aligned Components of Eureka Math <sup>2</sup>                    |
|--|---|
| S.ID.C.8   | A1 M2 Lesson 16: Using Lines to Model Bivariate Quantitative Data |
| Interpret the slope (rate of change) and<br>the intercept (constant term) of a linear<br>model in the context of the data. | A1 M2 Lesson 21: Analyzing Bivariate Quantitative Data            |
| S.ID.C.9   | A1 M2 Lesson 20: Interpreting Correlation                         |
| Compute (using technology) and interpret the linear correlation coefficient.   | A1 M2 Lesson 21: Analyzing Bivariate Quantitative Data            |
| S.ID.C.10  | A1 M2 Lesson 20: Interpreting Correlation                         |
| Distinguish between (linear) correlation and causation.  | A1 M2 Lesson 21: Analyzing Bivariate Quantitative Data            |